PWM 506 Mop Star 60 [EL DV-1]
Professional washing machine, Little Giants, EL heated, with drain valve designed to meet the needs of facility management. Load capacity 6.0 kg.




- Drum volume 57 l, load capacity 6.0 kg
- Tested for intensive use – unparalleled Miele quality
- Language-neutral fascia panel with rotary control – M Select
- Thorough cleaning – special programmes for mops and cloths
- Best possible dirt removal – patented pre-spin*

* Patent: EP 2 003 236 B1

EAN: 4002516134107 / Material number: 11154270 / Old Material Number: 51506263IRL

| | |
|---|---|
| **Construction type and version** | |
| Construction type | Front-loader, stackable |
| Range | Performance |
| Front | Lotus white |
| Control panel colour | Stainless steel |
| Load in kg | 6.0 |
| Drum volume in l | 57 |
| Door opening [Ø] in mm | 300 |
| Door opening angle in degrees | 167 |
| Door hinge | right |
| Maintenance-free synchronous motor | • |
| Honeycomb drum with perforated drum rear panel made of stainless steel | • |
| **Application** | |
| Suitable for facility management | • |
| **Performance data** | |
| Tested virucidal efficacy | • |
| Proven hygiene | • |
| Specific water consumption for cold water connection in l/kg | 8.70 |
| Specific energy consumption for cold water connection in kWh/kg | 0.17 |
| Specific water consumption for hot water connection in l/kg | 8.20 |
| Specific energy consumption for hot water connection in kWh/kg | 0.06 |
| Water consumption with cold water connection in l | 52.0 |
| Water consumption for cold water connection in Mops standard 60 °C programme in l | 70.0 |
| Energy consumption with cold water connection in kW | 1.00 |
| Energy consumption for cold water connection in Mops standard 60 °C programme in kWh | 1.40 |
| Programme duration in minutes with cold water connection | 59 |
| Water consumption with hot water connection in l | 49.0 |
| Energy consumption with hot water connection in kW | 0.36 |
| Programme duration in minutes with cold water and hot water connection | 49 |
| Residual moisture with cold rinse in % | 52 |
| Residual moisture with hot rinse in % | 50 |
| Residual moisture when processing cleaning cloths in % | 20 |
| Spin speed in rpm | 1400 |
| g factor | 535 |
| **Control system** | |
| Control system | M Select |
| Programmability | programmable |
| Max. delay start in h | 96 |
| Time left display | • |
| Programme sequence indicator | • |
| Control panel with easy-to-understand symbols | • |

PWM 506 Mop Star 60 [EL DV-1]
Professional washing machine, Little Giants, EL heated, with drain valve designed to meet the needs of facility management. Load capacity 6.0 kg.




EAN: 4002516134107 / Material number: 11154270 / Old Material Number: 51506263IRL

| | |
|---|---|
| Language can be selected easily at any time | • |
| **Dispensing** | |
| Detergent drawer | 3 compartments |
| Flexible dispensing adapter (optional) | • |
| Maximum number of connections for liquid dispenser pumps [number] | 6 |
| Empty sensor | • |
| **Standard electrical connection** | |
| Heating type | Electric |
| Electrical connection | ~230V 50HZ |
| Heater rating in kW | 2.30 |
| Total connected load in kW | 2.50 |
| Fuse rating in A | 13 |
| **Water connection/drainage** | |
| Cold water [number] | 1x 1/2" hose w/ 3/4" th. union |
| Hot water [number] | 1x 1/2" hose w/ 3/4" th. union |
| Dump valve | DN 70 |
| **Dimensions and weight** | |
| External dimensions, height in mm | 850 |
| External dimensions, width in mm | 596 |
| External dimensions, depth in mm | 714 |
| External dimensions, gross height in mm | 944 |
| External dimensions, gross width in mm | 660 |
| External dimensions, gross depth in mm | 768 |
| Net weight in kg | 99.0 |
| Gross weight in kg | 104 |
| Maximum floor load in N | 2820 |
| **Emissions data** | |
| Emission sound pressure level in the workplace | ≤70 dB(A) re 20 µPa |
| Heat dissipation into the room in MJ/h | 1.00 |
| **Features** | |
| Patented pre-spin | • |
| Cloth reprocessing | • |
| 3-dimensional imbalance monitoring | • |
| Commercial shock absorbers | • |
| Hard-wearing stainless-steel flange | • |
| Disinfection rinse | • |
| EcoSpeed | • |
| Efficient drum rib technology | • |
| Temperature monitoring | • |
| Special heater element | • |
| Automatic load control | • |
| Flow meter | • |
| Communication slot | • |
| Add laundry | • |
| Machine-independent accessories | • |

PWM 506 Mop Star 60 [EL DV-1]
Professional washing machine, Little Giants, EL heated, with drain valve designed to meet the needs of facility management. Load capacity 6.0 kg.




EAN: 4002516134107 / Material number: 11154270 / Old Material Number: 51506263IRL

| | |
|---|---|
| **Efficiency** | |
| Recycling rate in % | 95 |
| **Connection options** | |
| Payment system (optional) | • |
| Optical interface for service access | • |
| Peak-load negotiation / energy management (optional) | • |
| WiFi | • |
| LAN module (optional) | • |
| WiFiConn@ct | • |
| **Capacities** | |
| Cloths, 22 g [number] | 136 |
| Cotton mops, 40 cm / 190 g [number] | 31 |
| Cotton mops, 50 cm / 220 g [number] | 27 |
| Microfibre mops, 40 cm / 120 g [number] | 50 |
| Microfibre mops, 50 cm / 170 g [number] | 35 |
| **Standards, test certificates and symbols** | |
| CE | • |
| VDE-EMC | • |
| VDE | • |
| Splash-proof safety rating IPX4 | • |
| UKCA | • |
| WEEE | • |
| Complies with Machinery Directive 2006/42/EC | • |